

# AGFEO

kommunizieren mit System

## Value Added Phone ST 30

- Operation



## Designated use

---

The value added phone ST 30 is intended for connection to an internal ISDN bus of an AGFEO ISDN telecommunications system.

You can connect the ST 30 to the following AGFEO ISDN telecommunications systems:

- AGFEO ISDN telecommunications systems Basic-Line plus AS 141 plus, AS 191 plus from software version 1.x
- AGFEO ISDN telecommunications systems Business-Line plus AS 33, AS 34 from software version 4.x
- AGFEO ISDN telecommunications system Profi-Line plus AS 40 from software version 3.x

Your authorised dealer can provide you with information on software upgrades.

AGFEO GmbH & Co. KG can accept no liability for damage or loss arising from use of the value added phone ST 30 for any other than its designated purpose.

## Safety instructions

---

- Do not connect or unplug the cord of the ST 30 during a storm.
- Lay the cord of the ST 30 so that no one can step on it or trip over it.
- Make sure no liquid gets inside the telephone, otherwise it may short-circuit.

## About this manual

---


This manual presents a concise guide to operation of the ST 30 and of the features offered by your AGFEO ISDN telecommunications system. For detailed descriptions of the features refer to the system manual.

# Contents

Value Added Phone ST 30 .....	5	Intercom Function .....	44
Installing and Cleaning the ST 30, Inserting the Label Strip .....	6	Call Hold .....	46
Commissioning .....	7	Malicious Call Identification .....	46
Headset .....	8	Conferencing .....	47
Telephone Display .....	10	Least Cost Routing (LCR) .....	48
Programming with the Telephone .....	11	Brokering .....	49
Telephone Settings .....	13	Storing a Memory Number .....	50
Function Keys - Customisable Functions (Overview) .....	18	Call by Call .....	51
Making Calls .....	27	Parking an External Call .....	51
Answering Calls .....	31	Room Monitoring .....	52
Call Transfer .....	33	Operating Relays .....	53
Transferring an Outside Line .....	34	Inquiry .....	54
Forwarding a Call While the Phone is Ringing .....	35	Return Call .....	55
Call Waiting/Return Call .....	36	Viewing Status Messages .....	56
Reject Call Waiting .....	37	Storing Numbers in the Phonebook .....	57
Call Pick-Up .....	38	Dialling Phonebook Numbers .....	60
Call List .....	39	Telephone Lock - Emergency Call / Direct Call (Baby Call) .....	62
Do-Not-Disturb - Disabling the Ringer .....	40	Appointment Call - One-off Appointment .....	63
Switching Call Variant .....	41	Activating/Deactivating Timers .....	64
Announcement .....	42	Door Call Diversion to an External Subscriber .....	64
Autodial .....	42	Operating Door Phone Unit and Door Opener .....	65
Busy on Busy .....	43		

Line Identification .....	65
Divert From - Diverting Calls from Other Telephones .....	66
Divert To - Diverting Calls to Another Telephone .....	67
Call Charges .....	71
Viewing Your Own Call Charges .....	74
Redial .....	75
Alarm Call - Recurring Appointment .....	76
Storing and Dialling Speed Dial Numbers .	77
Protecting the Functions of the Telecommunications System against Unauthorised Use (Code Numbers) .....	78
Service / Test .....	79
Remote Setup/Remote Configuration .....	81
Menu Tree .....	82

# Value Added Phone ST 30



**Dial keypad** - Dial phone numbers and input data.



**Star and Hash keys**



**Shift key** - Access the second level of function keys, to switch phonebook register (numeric/ alphabetical) and to switch between upper and lower case letters.



**Set key** - Start and end programming.



**Loudspeaker key** - Activate the loudspeaker and switch to handsfree operation. The key is illuminated when the loudspeaker is active.



**Arrow keys** - To scroll through the display where there is more than one function.



**Clear key** - Clear an entry.



**OK key** - Confirm inputs.



**Stop key** - Cut a connection or cancel an action.



**Phonebook key** - Open the phonebook.



**Redial key** - Dial a recently dialled number.



**Mail key** - Display the call list. The key is illuminated when an entry is present.



**10 function keys** - Customisable with first or second level functions.

# Installing and Cleaning the ST 30, Inserting the Label Strip

## Location

---

Install your ST 30 at a suitable location. When installing, please note the following points:

- Do not install in locations where the telephone may be splashed by water or chemicals.
- Plastic feet of the telephone: Your appliance is designed for use under normal conditions. Chemicals used in the

manufacture and care of furniture may deform the telephone's plastic feet, possibly resulting in unpleasant marks. Quite understandably, we cannot be held liable for such damage. We would therefore request that you place your telephone on a non-slip base, especially if it is positioned on top of new or varnished items of furniture.

## Cleaning

---

You can clean your telephone quite easily. Please note the following points:

- Wipe the telephone down with a lightly dampened cloth or use an anti-static cloth.

- Never use a dry cloth (static could damage the electronics).
- Never allow damp to enter the appliance (switches and contacts may be damaged).

## Inserting the label strip for the function


---

Insert a fingernail at the top between the window and the telephone case and pull the window down so that it bends.

Now you can withdraw it.

Insert the label strip. With the "TK-Set" configuration program you can print labels from a PC.

To refit the window slot it into the recess at the bottom, press it down to bend it and slot it in at the top.



# Commissioning

## Connecting the telephone

---

- Plug the Western connector into a slot on the ISDN connection of your AGFEO telecommunications system until it engages audibly in place
- To release the ISDN connecting cable press the retaining lug of the Western connector towards the connector body (using a small screwdriver if necessary) and at the same time pull out the connector by the cable.

## Registering the internal number of the telephone

---

Two value added phones can be connected to each ISDN slot of an AGFEO ISDN telecommunications system (see page 2).

In configuration of the system, each value

added phone - like every other terminal appliance - is assigned a primary internal number, and possibly also a secondary internal number, from the system's number stock.

This display appears briefly when you first connect up the ST 30.

```
ST 30 Digital
Logon
AGFEO Telecommunications
```

Then the assigned primary internal numbers of the two telephones are displayed, e.g. 11 and 12. Select the internal phone number you want, e.g. >11<



```
ST 30 Digital
Slot 0 Number >11<12
< > Select
```



Press "OK" to log the ST 30 on under the selected internal number. The display goes out briefly, then the display shown here appears.

```
ST 30 Digital
Logon
AGFEO Telecommunications
```


Then the default display appears. The telephone is logged-on and ready to use.

```
17.May 1999      11:52
---
```

## Note

---

If you need to change the assignment of the internal phone numbers, you can initiate the above logon function by pressing



If you disconnect a logged-on value added

phone from the internal ISDN slot and subsequently reconnect it to the same slot, you do not need to log on again. You will need to log the telephone on again if you connect it to a different slot.

# Headset

The ST 30 value added phone has a separate connection (a Western socket) for a headset. Recommended headsets (available from specialist retailers)

Vendor	Model	Vendor's order number
Plantronics	Supra Monaural Polaris Model P51 *	32190-04
	Tristar Model P81 *	33695-01
	* with connecting cable U10P	38058-01
GN Nordkom	Profile monaural **	1861-15-03
	Optima NC monaural **	1913-29-01
	** with connecting cable	8800-00-01


## Connecting the headset

The Western socket for the headset is located on the underside of the telephone. It is identified by a headset symbol.

- Plug the headset connector into the socket until it engages audibly.-
- Route the headset cable in the cable

channel on the underside of the telephone, to ensure strain relief.

- To unplug the headset cable press the retaining lug of the Western connector towards the connector body (using a small screwdriver if necessary) and at the same time pull out the connector by the cable.



Connections on the underside of the ST 30 value added phone






## Programming the "Headset" function key

---

If you want to use a headset on the telephone, you will need to program one of

the customisable function keys on your appliance as the "Headset" key.

   " set 31": Start programming.



Press the function keys whose functions you want to change (pressing the Shift key beforehand to change to the second level if necessary). The current function is displayed.

```
Select function
< Units
OK MCID
> Headset
```



Use the arrow keys to scroll until the "Headset" function is on the "OK" line.




```
Select function
< MCID
OK Headset
> Headset
```



End programming.  
The "Headset" function key is programmed.

## Adjusting the headset volume

---

   Press " set 26" to adjust the headset volume.



Adjust the volume. Scale:  
1 = very low  
5 = very high

```
Headset volume
3 Setting
1-5 Select
OK Store
```



End programming.

## Using the headset

---

On the value added phone you can use a headset instead of the handset when making calls. Instead of lifting and replacing the receiver, press the "Headset" function key each time.

### Example: Answering a call

Your telephone rings.

- Press the "Headset" key to answer the call.

- Conduct your call.
- Press the "Headset" key to end the call.

You can also use the

- dial preparation
  - on-hook dialling
  - open listening
- functions of the value added phone in conjunction with the headset.


# Telephone Display

## The default display of the value added phone \_\_\_\_\_

### Default condition

- The receiver is on-hook.

- Open Listening/Handsfree is inactive. The loudspeaker key is not illuminated.
- Your telephone is not being called.



**1st line:      Date and time**

### 2nd line:

- x External ISDN connection. An outside line (one B-channel) is busy. The x flashes to indicate an external call.
- X External ISDN connection. Both outside lines (both B-channels) are busy.
- i Internal ISDN connection. A line (one B-channel) is busy.
- I Internal ISDN connection. Both lines (both B-channels) are busy.
- Both B-channels of the ISDN connection (internal or external) are free.
- ⌘ Reject Call Waiting
- \* Do-Not-Disturb on
- ⌘ Diversion/ISDN Call Forwarding on
- ⌘ Call Forwarding (call variant 3) on
- € Call variant 2 (Night Service) on
- 🔒 Telephone Lock on
- # Alarm Call on
- ⊙ Appointment Call on

### 3rd and 4th lines

#### Busy display for internal users (internal status)

**Variant 1** - You have defined no internal user under Internal Status (set 29):

The primary internal numbers of the busy internal user, sorted numerically, are displayed (as shown in the example).

The internal phone number flashes as long as the internal user is being called.

The busy indicator displays up to 16 internal users.

**Variant 2** - You have defined a maximum of 16 internal users under Internal Status (set 29):

The internal number of the busy internal user is displayed on the station on which it was defined.

The internal user selected for the internal status is free.

# Programming with the Telephone

You can program your value added phone when it is in the default condition (receiver on-hook, Open Listening/Handsfree inactive) or in call condition. The programming is aborted as soon as you pick up the receiver, replace the receiver or press the "Loudspeaker" key. Anything you have not yet confirmed by pressing **OK** is not stored.

If you do not press any key for one minute while in programming mode, the display switches back to its default condition.

Anything you have not yet confirmed by pressing **OK** is not stored.

The menu guidance allows you to make key settings on your telephone and on the system quickly and easily.

The programming menu consists of a number of main menus, each giving access to several submenus. At the back of this manual you will find an overview of all the menus (see "Menu Tree").

## Selecting a menu using the arrow keys



Start programming mode.

Main menu - Code 1

Main menu - Code 4



Use the arrow keys to scroll until the menu you want is on the "OK" line.



Open the selected main menu.  
The submenus are listed.

Example:  
Main menu - Code 8  
Submenu  
Submenu - Code 1  
Submenu



Use the arrow keys to scroll until the submenu you want is on the "OK" line.



Open the selected submenu.  
Example: Number -> COLP  
Enter your setting.



"1" : Switch off  
"2" : Switch on

The setting takes effect immediately.



End programming.

Programming menu	
< Software version	#
OK Features	1
> Phone setup	2
Keys/Internal names	3
Speed dial keys	4
Central numbers	5
Charges menu	7
ISDN features	8
PABX	9
Remote	*
Software version	#

ISDN features	8
< Number-> COLP	3
OK ISDN CF	1
> Number->CLIP	2

Number->COLP	
off	
OK Switch off	1
> Switch on	2

## Selecting a menu by code digits

---

You can activate any main menu or submenu directly by way of code digits. The menu tree at the back of this manual presents an overview of the codes.



Start programming mode.  
Example: "Do-Not-Disturb"  
submenu Code 12  
(1 - Main menu, 2 - Submenu)

```
Programming menu
< Software versio #
OK Features 1
> Phone setup 2
```



Code 1, Main menu - Features

```
Features 1
< Busy on Busy #
OK Call variant 2 1
> Do-Not-Disturb 2
```



Code 2, Submenu - Do-Not-Disturb



Enter your setting.  
Enter 1, 2 or 3.

```
Do-Not-Disturb
< Secondary number 3
OK Prim. and sec. number 1
> Primary number 2
```

Enter your next setting.



End programming.

## Note

---

Confirm entries: Input is stored.

Select menu or function:

Scroll with arrow keys.

Clear entries: Delete flashing input.

Clear entire input.

**Single beep (error signal):** You have pressed a key which is not permitted in this operation. Refer to the display to see what input is required, and try again.

**Abort programming:** Press repeatedly. Anything you have not yet confirmed by pressing is not stored.

**End programming:** (All entries are stored.)

**If a call comes in while you are programming:**

Lift the receiver. Programming is aborted:

- Everything you have confirmed by pressing is stored.
- Anything you have not yet confirmed by pressing is not stored.

# Telephone Settings



Main "Phone setup" menu

```
Phone setup      2
< Phone setup   #
OK Ringer volume 1
> Ring tone     2
  > Display contrast 3
  > Automatic nuke  4
  > Loudspeaker volume 5
  > Headset volume  6
  > Phone code      7
  > Charge display  8
  > Status display  9
  > Language        0
  > Call list       *
```

## Adjusting the ringer volume



Select the "Ringer volume" submenu or press **2** **1**.



Adjust the volume. Select on a scale from 1 (very low) to 7 (very high). You hear a brief sample of the new setting.



End programming.

```
Ringer volume
3 Setting
1-7 Select
OK Store
```

## Adjusting the ring tone



Select the "Ring tone" submenu or press **2** **2**.



Adjust the ring tone. Select on a scale from 1 (very slow) to 7 (very fast). You hear a brief sample of the new setting.



End programming.

```
Ring tone
3 Setting
1-7 Select
OK Store
```

## Adjusting the display contrast



Select the "Display contrast" submenu or press **2** **3**.



Adjust the display contrast. Select on a scale from 1 to 7. The contrast changes immediately.



End programming.

```
Display contrast
3 Setting
1-7 Select
OK Store
```

## Automatically activating the handsfree microphone

---

The microphone switches on automatically when you receive an intercom voice message.



Select the "Automatic mike" submenu or press **2** **4**.



Adjust the microphone. Select 2 (on) or 1 (off).



End programming.

```
Automatic mike
off
OK Switch off      1
> Switch on       2
```

## Adjusting the loudspeaker volume

---



Select the "Loudspeaker volume" submenu or press **2** **5**.



Adjust the volume. Select on a scale from 1 (very low) to 7 (very high).



End programming.

```
Loudspeaker volume
3 Setting
1-7 Select
OK Store
```

## Adjusting the headset volume

---



Select the "Headset volume" submenu or press **2** **6**.



Adjust the volume. Select on a scale from 1 (very low) to 5 (very high).



End programming.

```
Headset volume
3 Setting
1-5 Select
OK Store
```

## Phone code

---



Select the "Phone code" submenu or press **2** **7**.



Enter the four-digit code or press to clear the displayed code.



End programming.

```
Phone code
-----
OK Store
```

## Charge display



Select the "Charge display" submenu or press **2** **8**.



Set the charge display. Select 1 (off) or 2 (on).



End programming.

```
Charge display
off
OK Switch off      1
> Switch on       2
```

## Status display



Select the "Status display" submenu or press **2** **9**.



Set the status display. Select 1 (off) or 2 (on).  
Example: 2 (switch on). The display switches.



**Status display variant 1**  
(without selection of internal phone numbers) Press "OK" and "set". The third and fourth lines on the display show the primary internal phone numbers of the busy internal users in ascending numerical order (as in the example).

The internal phone number flashes as long as the internal user is being called. The busy indicator displays a maximum of 16 internal users.

```
Status display
off
OK Switch off      1
> Switch on       2
```

```
Internal status
-----
-----
OK Store
```

```
01.January 1999  12:34
xi
13 15 17 18 23 24 30 32
41 52
```

**Status display variant 2**  
(with selection of internal phone numbers) You can enter a maximum of 16 primary internal numbers of users whose internal status (busy or free) is of importance to you. You can use the arrow keys to place the internal number on the display. The position is reserved for this internal user.



End programming.

Example: Internal user 24 is free (---), internal users 13 and 32 are busy.

```
Internal status
24 -- 13 -- -- -- --
-- 32 -- -- -- -- --
OK Store
```

```
01.January 1999  12:34
xi
--    13
    32
```

## Switching language



Select the "Language" submenu or press 2 0.

```
Language
German
OK Englisch      1
> German        2
```



Select the display language.



End programming.

## Activating/deactivating the call list



Select the "Call list" submenu or press 2 \*.

```
Call list
< With name only  3
OK Switch off     1
> Switch on       2
```



Enter a code digit or select the setting using the arrow keys.

"1": Switch off - External calls are not stored. Internal callers can log themselves in the call list by means of the "Entry in call list" procedure.

"2": Switch on - External calls are stored with the relevant name and number - with the name if held in the system phonebook.

"3": With name only - Only external calls are stored with the relevant names, if the name is held in the system phonebook.

Call lists - Examples:

```
Call list      2 of 2
03098765432
from 19:15 FR 07.05.1999
1x to 23456789
```

```
Call list      1 of 2
ALPHA
from 08:24 MO 10.05.1999
2x to private
```



End programming.

## Setting line seizure



Select the "Direct outward dial" submenu or press 2

```
Direct outward dial
off
OK Switch off     1
> Switch on       2
```



Enter a code digit or select the setting using the arrow keys.

"1": Switch off - Deactivate direct outward dialling. Line seizure "0" is now active. Direct internal dialling.

"2": Switch on - Activate direct outward dialling (automatic line seizure). Internal dialling with .




End programming.



## Entering user names

---



Select the "Enter name ..." submenu. Your primary internal phone number is displayed.

```
Enter name 11
...
OK Store
```




Key in the name, with a maximum of 11 characters, by way of the keypad (see below).



End programming.

Entering a name using the number pad:

The cursor flashes at the input position.



Press the key on which the character you want to enter is labelled. If necessary, press the key repeatedly in quick succession to get to the character you want before the cursor automatically moves one position forward.

Example:            2 = A  
                  22 = B  
                  222 = C  
                  2222 = 1




or  
Move the cursor directly to the input position using the arrow keys. You can overwrite an existing character or delete it by pressing .



Press to switch between upper and lower case letters. The display shows ABC or abc respectively.



Delete characters from right to left.



Clear entire entry.

## Date/time

---

The display of the date and time is controlled by the ISDN network. On installation of the system the date and time are automatically set when you make your first chargeable external call, and are then maintained by the system. The system time

is balanced to the ISDN network clock every time you make a chargeable external call. This means the switch from Summer to Winter time and vice versa is also handled automatically.

# Function Keys - Customisable Functions (Overview)

Function	LED	Explanation
<b>Reject</b>		Reject current call. Caller hears busy tone.
<b>Reject Call Waiting</b>	<input type="checkbox"/>	Deactivate Call Waiting tone. Caller hears busy tone. Special function keys programmable: <ul style="list-style-type: none"><li>- Reject Call Waiting function for calls on 1st internal phone number</li><li>- Reject Call Waiting function for calls on 2nd internal phone number</li><li>- Reject Call Waiting function for calls on 1st and 2nd internal phone number</li></ul>
<b>Do-Not-Disturb</b>	<input type="checkbox"/>	Deactivate tone ringer. Special function keys programmable: <ul style="list-style-type: none"><li>- Do-Not-Disturb for calls on 1st internal phone number</li><li>- Do-Not-Disturb for calls on 2nd internal phone number</li><li>- Do-Not-Disturb for calls on 1st and 2nd internal phone number</li><li>- Do-Not-Disturb for internal calls</li><li>- Do-Not-Disturb for external calls</li><li>- Do-Not-Disturb for internal and external calls</li></ul>
<b>Call variant 2</b>	<input type="checkbox"/>	Activate or deactivate call variant 2 (Night Service). Special function keys programmable: <ul style="list-style-type: none"><li>- Control call variant 2 for each external number in the system selectively.</li><li>- Control call variant 2 for all external numbers in the system jointly.</li></ul>
<b>Call variant 3</b>	<input type="checkbox"/>	Activate or deactivate call variant 2 (Internal Call Forwarding). Special function keys programmable: <ul style="list-style-type: none"><li>- Control call variant 3 for each external number in the system selectively.</li><li>- Control call variant 3 for all external numbers in the system jointly.</li></ul>
<b>Announcement</b>		Announcement via an audio module or loudspeaker system.
<b>Busy on Busy</b>	<input type="checkbox"/>	Caller hears busy tone if a user is busy when a call is distributed. Special function keys programmable: <ul style="list-style-type: none"><li>- Activate Busy on Busy for each call distribution selectively.</li><li>- Activate Busy on Busy for all call distributions globally.</li></ul>
<b>Call by Call</b>		Select a network provider. Import from LCR.
<b>Intercom</b>		Voice message to value added phones. Special function keys programmable: <ul style="list-style-type: none"><li>- Voice message to pre-set internal users.</li></ul>
<b>Units</b>		Display call charges.


Function	LED	Explanation
<b>MCID</b>		Malicious Call Identification. Malicious calls identified by the ISDN exchange.
<b>Remote Scanning</b>		Postdial a stored DTMF tone sequence (□1 ... □0, □*, □#), e.g. to remotely scan an answering machine.
<b>Headset</b>	□	To operate a headset.
<b>Call Pick-Up</b>		Pick up external calls. Special function keys programmable: Pick up internal calls and external calls from pre-set internal users.
<b>Incognito</b>	□	Conceal your own phone number from the called party (Calling Line Identification Presentation - CLIP - inactive).
<b>Internal key</b>	□	Select internal users. Special function keys programmable: Internal call to a pre-set internal user.
<b>ISDN Call Hold</b>		Hold an external call at the ISDN exchange (only usable in multiple subscriber systems).
<b>ISDN Call Forwarding</b>		Activate or deactivate ISDN Call Forwarding.
<b>Conference</b>		Initiate a conference call with internal or external participants.
<b>Loudspeaker volume</b>		Change loudspeaker volume for open listening.
<b>LCR</b>	□	Activate or deactivate LCR (Least Cost Routing) for your value added phone.
<b>Line key</b>	□	External line seizure with a pre-set external number of the system. Pick up a call under the number, broker calls. Special function keys programmable: Line keys with pre-set external phone number.
<b>Broker</b>		Broker between several external calls.
<b>Memory</b>		Store an external phone number from the display.
<b>MSN / External</b>		External line seizure with a pre-set external number of the system. Transmit a specific external phone number (MSN), e.g. to split the charges of an outgoing external call. Special function keys programmable: MSN/External key with pre-set external phone number.

Function	LED	Explanation
<b>Relay</b>	<input type="checkbox"/>	Operate the relays. Special function keys programmable: Relay key for relay number.
<b>Reserve</b>		Reserve an outside line (B-channel) if all lines are busy.
<b>Inquiry</b>		Initiate a consultation (inquiry), connect, broker.
<b>Telephone Lock</b>	<input type="checkbox"/>	Lock the value added phone, activate an emergency call/direct call.
<b>Appointment</b>	<input type="checkbox"/>	Activate or deactivate the entered appointment time.
<b>Timer</b>	<input type="checkbox"/>	Activate or deactivate a timer (timer control of the telecommunications system, such as call variants, diversions, relays) Special function keys programmable: Timers 1 ... 9.0
<b>Door</b>	<input type="checkbox"/>	Set up a connection to the door phone unit and to operate the electric door opener. Special function keys programmable: Door for phone unit number
<b>Door Opener</b>		Activate the electric door opener.
<b>Call Transfer</b>		Transfer an external call to an external subscriber.
<b>Divert from</b>	<input type="checkbox"/>	Divert all calls from another phone number to the current phone.
<b>Divert to</b>	<input type="checkbox"/>	Divert all calls to another internal user or external subscriber.
<b>Alarm Call</b>	<input type="checkbox"/>	Activate or deactivate the entered alarm call time.
<b>Forward to</b>		Selective forwarding of an incoming call to another phone number without answering the call.
<b>Speed Dial key</b>		Dial a stored phone number.
- public		- The number is stored on your telephone and in the phonebook.
- privat		- The number is only stored on your telephone.

## LED indicators for first-level function keys

---

Program the functions you use most frequently on the 10 function keys of the first level.

If you program the functions marked with LED  on the first-level function keys, the assigned LEDs indicate the status of the key function.

- **LED lit** - The function is active.

**Line key** with programmed external phone number of the system:

- **LED flashing slowly** - a call is coming in on the external number. Anyone can pick up the call.
- **LED flashing rapidly** - You are holding a call (for an inquiry or brokering) on the line. Only you can reconnect the call.
- **LED lit** - The call has been answered by an internal user.

**Internal key** with programmed external phone number of an internal user:

- **LED flashing slowly** - An answering machine is assigned to the Internal key. The machine has answered a call. Press the key to take the call.
- **LED flashing rapidly** - You have the internal user on hold (for an inquiry or brokering) on the line. Only you can reconnect the call.
- **LED lit** - The internal user is busy. He or she is being called or is conducting a call.

**Timer key:**

- **LED lit** - The timer is set. The function is inactive.
- **LED flashing** - The timer is set and the function is active.
- **LED off** - The timer is switched off and the function is inactive.

## Note


---


If you do not assign a specific function when programming a function key, the key is variable. After pressing the key simply

enter the desired phone number or type of function.


## Changing a function key assignment

---

 **3** **1** "set 31": Start programming.



 Press the function key whose functions you want to change (pressing the Shift key beforehand to change to the second level if necessary). The current function is: `Divert to.`

```
Select function
< Divert from
OK Divert to
> Alarm call
```


 Key in the first letter of the function name, e.g. "B" for Brokering

```
Select function
< Line key
OK Broker
> Tone dial
```


or

  use the arrow keys to scroll until the function you want is on the "OK" line, e.g. `Speed dial key - private.`


```
Select function
< Speed dial key public
OK Speed dial key private
> Reject
```

 Press "OK". If you selected a function key for which you can define special functions, continue as detailed under "Assigning special functions to keys"

or

 change another function key.

or

 end programming.


## Assigning special functions to keys

---


As under "Changing a function key assignment", start programming by keying

in "set 31, select your function key and function, and confirm with OK.

"Reject Call Waiting" function key

 Enter the internal phone number to which the Reject Call Waiting function is to apply.

```
Reject Call Waiting
< Secondary number 3
OK Prim. and sec. no. 1
> Primary number 2
```

 End programming. With the "Reject Call Waiting" key you can now activate/deactivate Call Waiting.

### "Do-Not-Disturb" function key



Enter the internal phone number to which the Do-Not-Disturb facility is to apply.

```
Do-Not-Disturb
< Secondary number 3
OK Prim. and sec. no. 1
> Primary number 2
```



Enter whether the Do-Not-Disturb facility is to apply to external and/or internal incoming calls.

```
Do-Not-Disturb
< ext. off int. on 3
OK ext. on int. on 1
> ext. on int. on 2
```



End programming. With the "Do-Not-Disturb" key you can now activate/deactivate the Do-Not-Disturb facility.

### "Call variant 2" and "Call variant 3" function keys (Example shows call variant 2)

```
Call variant 2
External without
OK Store
```



Using the arrow keys select:  
External 23456781 - External number  
or  
Office - name of an external phone number for which the call variant is to be operated with this function key or  
External all - if the call variant is to be operated for all external phone numbers of the system or  
External without - if the external number or name of an external subscriber is only to be selected when the call variant is activated.

```
Call variant 2
External 23456781
OK Store
```



End programming.

### "Intercom" function key



Enter the internal phone numbers if you always want to talk through to the same value added phones with the Intercom function.

If you do not define any internal numbers, dial the numbers after pressing the key.

```
Intercom
-----
Enter internal numbers
OK Store
```



End programming.

### "Pick-up" function key



Enter the phone numbers of the internal users whose external and internal calls you want to pick up.

If you do not define an internal number, you can press the key to pick up external keys from any internal users.

```
Pick-up
-----
Enter internal numbers
OK Store
```



End programming.

### "Internal key" function key



Enter the phone number of the internal user whom you want to reach directly via the Internal key.

If you do not define an internal number, dial the number after pressing the key.

```
Internal key
for internal number ___
OK Store
```



End programming.



## "Line key" and "MSN/External" function keys (Example shows Line key)



Using the arrow keys select:  
External 23456781 - external number of your system oder or Office -name of an external phone number for which the key is to be programmed or External without - ("MSN/External" only) - if the external number or name of an external subscriber is only to be selected when the key is pressed.



End programming.

```
Line key
External 23456781
OK Store
```

```
Line key
Office
OK Store
```

```
Line key
Private
OK Store
```

## Note

---

**Line key** - User-friendly access to a Multiple Subscriber Number (MSN) in a multiple subscriber system or to a direct dialling inward station of a point to point connection (PTP-DDI).

**Line key status signalling** - The condition of a line is indicated by the assigned LED of a line key. Consequently, a line key can only be programmed on the first key level. To make best use of the facility (such as for brokering), program two line keys for each line.

**Off** - The line is free. You can seize the line by pressing the line key.

**Static on** - The line is busy. It cannot be seized.

**Flashing slowly** - Incoming call or parked call. By pressing the line key anyone can pick up the call. When the receiver is on-hook pressing the line key displays further information on the condition of the line (e.g. the caller number).

**Flashing rapidly** - You have a call on hold on the line. Only you can reconnect the call.

**MSN/External key** - The LED is not supported. You can program the key on the second level.

Only one MSN/External key is required on the value added phone. It can be programmed without an external phone number.

### "Relay" function key



Enter the internal phone number of the relay you want to operate with the key.

```
Relay key
for internal number ____
OK Store
```



End programming.

## Note

---

The "Relay" function key has a general function if you do not enter an internal phone number. When you use the function

key you must then select the internal number of the relay.

### "Timer" function key



Using the arrow keys select: Timer 0, 1 ... 9 which you want to control with the key.

```
Select timer
Timer 0
OK Store
```



End programming.

### "Door" function key



Enter the internal phone number of the door you want to operate with the key.

```
Door key
for internal number ____
OK Store
```



End programming.

## Note

---

The "Door" function key has a general function if you do not enter an internal phone number. When you use the function

key you must then select the internal number of the door.

# Making Calls

## Making calls - "Automatic" line seizure variant



Lift the receiver. The display shows the time at the right.

```
Please dial
-i                               11:52
11
```



**To call an internal number:**  
Press the "Internal" key and dial the internal number, e.g. 13, to call extension 13. The name of user 13 is displayed if logged.

```
Call to 13
ANTON
11 13
```



**To call an external number:**  
Dial the external number directly. The system automatically seizes an outside line (B-channel).

```
Call to
98765432
11
```

## Making calls - Line seizure variant "0"



Lift the receiver. The display shows the time at the right.

```
Please dial
-i                               11:52
11
```



**To call an internal number:**  
Dial the internal number, e.g. 13, to call extension 13. The name of user 13 is displayed if logged.

```
Call to 13
ANTON
11 13
```



**To call an external number:**  
Press the "0" key to seize any outside line (B-channel). Your external phone number (system number or multiple subscriber number) is displayed. If logged, a name may be displayed instead of the number. Only the number is transmitted, however.

```
23456781
-i                               11:52
11
```

```
Office
-i                               11:52
11
```



You hear the external dial tone and can then dial the number.

```
Call to
98765432
11
```

## Line seizure with MSN/External key

---



Press the MSN/External key.

```
External  
Office
```



Select an external phone number or the user's name. The call charges are billed under the selected number.

```
<> Scroll
```



When the desired number is displayed, enter the subscriber's number.

```
Office  
98765432
```



Lift the receiver. The number is dialed.

```
Call to  
98765432  
11
```

## Line seizure with special MSN/External key or Line key

---



Press the MSN/External key or Line key. The call charges are billed under the selected number. If logged, a name may be displayed instead of the number. Only the number is transmitted, however.

```
Office  
98765432
```



Enter the number you wish to dial.



Lift the receiver. The number is dialed.

```
Call to  
98765432  
22
```

## Reserving an outside line

---



When trying to dial an external number you hear the busy tone. The message shown here appears on the display. No outside line (B-channel) is free..

```
B-channels busy
OK Reserve
```



Press  to reserve an outside line.

```
Reservation
confirmed
```



Replace the receiver.



Reserved call from the system.

```
Your line
```



Lift the receiver. You hear the external dial tone.

```
Please dial
xi                11:52
11
```




Dial the external phone number.

## Note




---


**Barred range** - If the telephone system's barred range is programmed for your telephone, you cannot dial the external phone numbers that lie within the barred range. You hear the error tone.

**DTMF post-dialling** - Is possible for all existing external connections, even in an inquiry, when brokering and during a three-party conference. You can post-dial digits and characters (1...0, \*, and #)

**Preparing dialling** - The receiver is on the hook. Enter the phone number. The entered phone number is displayed. Your system telephone begins dialling automatically when you pick up the receiver or when you press the "loudspeaker" key .

**Dialling with the receiver on the hook** - Press the "loudspeaker" key and dial the phone number. Lift the receiver when the other party answers.

**Hand free** - Instead of lifting the receiver, you can also press the "loudspeaker" key  in all cases. You are then telephoning in the hands free mode. Hands free mode is turned off if you lift the receiver during the call. You can conduct the call through the receiver. To switch to the hands free mode, press the "loudspeaker" key  until you have replaced the receiver. To end the call, press the "loudspeaker" key .

**Open listening** - Via the built-in loudspeaker other persons in the room may listen to the call you are conducting through the receiver. To do this, press the "loudspeaker" key .

**Reserving an outside line** - The system telephone emits a short signal and Your line appears in the display for 4 minutes if the reserved outside line is free.

# Answering Calls

## A call comes in for you

---



**Internal call:** Example  
The display identifies the caller while the phone is ringing.

```
from Keller
for Haupt
13
```



Lift the receiver. The name or extension number, Phone 13 for example, is displayed.

```
Keller
-1                11:52
11 13
```



**External call:** Examples  
**1st line of display** - Caller's number or name entry in system phonebook, if an entry is logged under that number, e.g. MAIER.  
**2nd line of display:** "cl." for "Calling"; the number being called (your system number with the direct dial extension or your MSN) or a name, e.g. Office.

```
03098765432
cl.: 23456781
```

```
MAIER
cl.: Office
```



Lift the receiver. You are connected to the caller.

```
MAIER
xi                11:52
11
```



The display changes every 10 seconds. The call duration is displayed.

```
xi                0:03:40 hrs
11                11:55
```



Replace the receiver to end the call. The call duration is displayed for a further 20 seconds.

```
Call info
0:04:30 hrs
```

## You have a call waiting

---



You are on an internal or external call. Through the receiver you hear the external Call Waiting tones. The display shows the number or name of the second caller and the number or user name the caller has dialled.

```
MAIER
calling Office
11
```



### To answer the second call:

**Option 1** - Replace the receiver to end the call you are currently conducting. Your phone rings.



Lift the receiver. You are connected to the caller.

```
MAIER
x1
11
```



**Option 2** - Press the "**Broker**" key. The first call (e.g. Phone 13) is placed on hold. You are connected to the second caller and can broker between the two calls or forward the call.

```
MAIER
Phone 13
11 13
```

### To reject the second call



Press the "**Reject**" key. The caller then hears the busy tone instead of the ringback tone, if you were the only user he or she called.

If the call was distributed to more than one extension the caller continues to hear the ringback tone.



Continue your call.



# Call Transfer

## Internal call transfer with and without announcement

---



You are on an external call and want to transfer the call to an internal user.

```
MAIER
xi
11 11:52
```



To select the internal user:  
Press the **Internal key** and dial the internal number, e.g. 13.

```
Call to 13
11 13
```

If the internal user does not answer, press **[Stop]** to switch back to the external caller.



**Call transfer with announcement**  
The internal user answers. Announce the external caller.

```
Phone 13
MAIER
11 13
```



Replace the receiver. Internal user 13 and the external caller are connected.

### Call transfer without announcement

Replace the receiver before the internal user answers. When the internal user lifts the receiver he or she is connected to the external caller.

## External call transfer

---



You are on an external call and want to transfer the call to another external subscriber.

```
MAIER
-i
11 11:52
```



Select the external subscriber you want to connect to.

**Seize an outside line** and dial the external number. External subscriber 1 waits, possibly connected to music on hold.

```
Call to
87654321
11
```

If the called subscriber does not answer, press **[Stop]** to switch back to the holding external subscriber.

Continued on next page



You are talking to the new external party. The subscriber on hold cannot listen-in.

```
87654321
MAIER
11
```



Press the "Call Transfer" key (must be programmed) to transfer the call.

```
Transfer call
Please hang up
11
```



Replace the receiver.

## Transferring an Outside Line



An internal user calls you. The user, whose external access is otherwise restricted, wants you to connect him or her to an outside line.

```
Phone 13
-i                11:52
11 13
```



Seize an outside line. You hear the external dial tone of the free outside line.

```
Office
-i                11:52
11 13
```



Press the "Call Transfer" key. You have transferred the free outside line. The internal user can dial an external number.

```
Transfer call
Please hang up
11 13
```



Replace the receiver.


# Forwarding a Call while the Phone is Ringing

You can forward a call to an internal user or external subscriber while the phone is ringing. Then you do not have to answer the call.


To be able to forward calls to an external subscriber the ISDN "Call Deflection" feature must be available on your exchange and be enabled for the line.

«D» An external call comes in. The display identifies the caller


```
MAIER
calling Office
11 13
```

 Press the "Forward to" key. You can forward the call to an internal or external phone number.



```
Forward to
OK Internal number 1
> External number 2
```

 Select forwarding to an external phone number, for example.

```
Forward to
-
```


 Key in the external number you want to forward to, choose an entry from the phonebook or press a speed dial key.

```
Forward to
61793015
```

 Press  to confirm. The call is forwarded to the external number you selected. The call to your system is cleared.

```
17.May 1999 11:52
---
```

## Reject call during ringing

 Press the "Reject" key. The caller then hears the busy tone instead of the ringback tone, if you were the only user he or she called.  
If the call is being distributed to more than one extension the caller continues to hear the ringback tone.

# Call Waiting/Return Call

## Initiating Call Waiting/Return Call

---



You have called user 13, for example, and he or she is busy. You want to indicate a call waiting and request a return call.

```
Phone 13  
busy  
11 13 15
```



Press . The busy user hears the Call Waiting tone. You hear the internal Call Waiting tone.



Replace the receiver. If your call was not answered you request the return call.

## Return Call

---



As soon as the called user is free your phone rings and your display indicates "Return call".

```
Return call from 13  
for phone 11  
11 13
```



Lift the receiver. Phone 13 is automatically recalled.



The user answers:  
Conduct your call as usual.

The user does not answer:  
You hang up and are thereby logged in the call list.



Replace the receiver.

# Second Call Busy

## Programming and controlling Reject Call Waiting



Start the function by pressing and the "Reject Call Waiting" key or **1** **4**. The display shown here appears if primary and secondary internal phone numbers are programmed for your telephone.

```
Reject Call Waiting
< Secondary number 3
OK Prim. and sec. no. 1
> Primary number 2
```



Enter the internal phone number(s) to which the Reject Call Waiting function is to apply and confirm. Example:  
Secondary number

```
Reject Call Waiting -/21
off
OK Switch off 1
> Switch on 2
```



"1": Activate Reject Call Waiting  
"2": Deactivate Reject Call Waiting



End programming. The setting takes effect immediately. With the "Reject Call Waiting" key you can easily activate or deactivate the pre-programmed Reject Call Waiting function later.

## Activating /deactivating Second Call Busy



The receiver is on-hook. Press the "Reject Call Waiting" key to activate/deactivate the programmed Reject Call Waiting function.

**On** - The LED on the key is lit, for 20 seconds the display indicates ,  
"Reject Call Waiting on".

**Off** - The LED on the key is off, for 20 seconds the display indicates  
"Reject Call Waiting off".

```
Reject Call Waiting -/21
off
```

# Call Pick-Up

## Picking up an external call without using a function key

Ⓜ) Another phone is ringing. On the display the x flashes and the internal extension being called, e.g. 13, is displayed. You want to pick up the incoming external call.

```
17.May 1999      11:52
xi
13
```



Lift the receiver. Press **OK**. You are now connected to the external caller and can conduct your call as usual.

## Picking up an external/internal call using a function key

Ⓜ) You hear or see on the display that extension 13 is being called. The 13 flashes.

```
17.May 1999      11:52
-i
13 15
```



Lift the receiver. Press the "Call Pick-Up" key. You are now connected to the caller (extension 15) and can conduct your call as usual.

## Taking a call from the answering machine



An external call has triggered the answering machine (e.g. internal number 23).

```
17.May 1999      11:52
xi
11 23
```

### "Automatic" call pick-up variant



Lift the receiver. Press the "Internal" key and dial the internal number, e.g. 23, to take the call. You are connected to the caller and can conduct your call as usual.

```
0309876543
xi
11 23
```

### Call pick-up variant "0"



Lift the receiver. Dial the internal number, e.g. 23, to take the call. You are connected to the caller and can conduct your call as usual.

# Call List

## Logging into a call list



You call internal user 13, for example, but no one answers. You want to log into the extension's call list.

```
Call to 13
Anton
11 13
```



Press **OK**.

```
Call list
```



Replace the receiver. You have logged yourself into the call list.

```
11 13
```

## Viewing a call list




The receiver is on-hook. The illuminated Mail key indicates that there is at least one entry in the call list.



To view the last entry press the Mail key. The display indicates:

- 1st of 2 entries (example)
- Name or number of caller
- Time/date of his/her last call
- Number of call attempts and name/external phone number called.

```
Call list          1 of 2
ALPHA
from 08:24 MO 10.05.1999
2x to private
```

Scroll: 


You now have several options:  
Scroll to view more entries.

```
Call list          2 of 2
03098765432
from 19:15 FR 07.05.1999
1x to 23456789
```


Dial: 

Lift the receiver. The number of the list entry is automatically dialed. If the user answers, the entry is deleted from the call list. If the user does not answer, the entry is retained.

```
Call to
03098765432
11
```

Clear: 

Press **Clear**. The displayed entry is deleted.

Stop: 


Press **Stop** to cancel viewing the call list.


The Mail key remains illuminated as long as there is still an entry in the call list.

# Do-Not-Disturb - Disabling the Ringer

## Programming and controlling Do-Not-Disturb

---



Start the function by pressing "set" and the "Do-Not-Disturb" key or . The display shown here appears if primary and secondary internal phone numbers are programmed for your telephone.

```
Do-Not-Disturb
< Secondary number 3
OK Prim. and sec. nb. 1
> Primary number 2
```



Enter the internal phone number(s) to which the Do-Not-Disturb facility is to apply and confirm. Example: Prim. and sec. number

```
Do-Not-Disturb 11/21
< ext. off int. on 4
OK ext. off int. on 1
> ext. off int. on 2
> ext. off int. on 3
```



Select whether the Do-Not-Disturb facility is to be active and/or inactive for internal and/or external incoming calls, and confirm.



End programming. The setting takes effect immediately. With the "Do-Not-Disturb" key you can easily activate or deactivate the pre-programmed Do-Not-Disturb facility later.

## Activating /deactivating Do-Not-Disturb

---




The receiver is on-hook. Press the "Do-Not-Disturb" key to activate/deactivate the programmed Do-Not-Disturb facility.  
**On** - The LED on the key is lit, for 20 seconds the display indicates "Do-Not-Disturb on".  
**Off** - The LED on the key is off, for 20 seconds the display indicates "Do-Not-Disturb off".

```
Do-Not-Disturb 11/21
on
```



# Switching Call Variant

## Activating/deactivating call variant 2 (Night) / 3 (CF)



Press "set" and the "Call variant 2" key (→ 1 1) or the "Call variant 3" key (→ 1 9). Example shows call variant 2.

```
CVA 2 Night service
< External all      off
OK Office          off
> 23456781        on
```



Select the external phone number/name or door for which call variant 2 is to be activate or deactivated or select "External all" to activate or deactivate call variant 2 (Night) for "all" external phone numbers and the doors.



Confirm your selection.



"1": Deactivate call variant 2 (off)  
Call variant 1 (Day) is active.  
"2": Activate call variant 2 (on)

```
CVA 2 Night service
Office
OK Switch on      2
> Switch off     1
```

- Select more external phone numbers and activate the call variant.  
or



End programming.

## Activating/deactivating call variant 2 / 3 using a function key



Press the "CVA 2 (Night)" or "CVA 3 (CF)" key.  
Example: Call variant 2 for the external number - Office is activated.  
As a check the moon symbol is indicated on the default display.

```
CVA 2 Night service on
Office
```

Press the "CVA 2 (Night)" key. Call variant 2 is deactivated. if previously active.  
Call variant 1 (Day) for the external number - Office is activated.

```
CVA 2 Night service off
Office
```

The moon symbol has disappeared from the default display.

# Announcement



The receiver is on-hook. Press the "Announcement" key. The acknowledgement tone sounds. You can make your announcement in handsfree mode or user the receiver.

```
Announcement
Please speak
```



After making your announcement, press the "Loudspeaker" key if in handsfree mode or replace the receiver.

# Autodial

## Programming an autodial number



Call up the "Autodial" submenu.

```
Autodial
-
Enter number
OK Store
```



Enter an external phone number.



End programming.

## Note

After programming the external phone number check the autodial function. Activate autodial, lift the receiver, wait for

the external number to be dialled and check that the destination is correct.

## Programming an autodial number



Call up the "Autodial" submenu.



,1": Switch off autodial.  
,2": Switch on autodial.

```
Autodial
off
OK Switch on      2
> Switch off      1
```



End programming. Autodial is set up. When you lift the receiver you hear the special dial tone.

```
Autodial
9876543
```

# Busy on Busy

## Programming and controlling Busy on Busy

---



Start the function by pressing "set" and the "Busy on Busy" key or .

```
Busy on Busy
< Private      off
OK 23456781   off
> Office      on
```



Select the external phone number or name of an external subscriber.



Confirm your selection.  
In the example the external number 23456781 has been selected.

```
Busy on Busy
23456781      off
OK Switch on  2
> Switch off  1
```



"1": Deactivate Busy on Busy (off)  
"2": Activate Busy on Busy (on)

- Select more external phone numbers and activate Busy on Busy.  
or



End programming.

## Activating/deactivating Busy on Busy

---



The receiver is on-hook. Press the "Busy on Busy" key to activate/deactivate the programmed function.

```
Busy on Busy on
23456781
```

# Intercom Function


## Intercom voice message to value added phones

---




The receiver is on-hook. Press the "Intercom" key. If no users are defined, enter the internal numbers of the value added phones you want to reach.

```
Intercom
11 13 15 ---
```



Press the "Loudspeaker" key to talk through the loudspeaker in handsfree mode, or use the receiver. If at least one of the selected value added phones is free, you and the people you are talking to hear the acknowledgement tone. You can then talk.

```
Intercom
Please speak
11 13 15
```



After sending your voice message, press the "Loudspeaker" key if in handsfree mode or replace the receiver. The procedure is ended.

## Intercom voice message while on an external call

---



You are on an external call and want to announce the call to an internal user, but do not know which phone the user is currently on.



Press the "Intercom" key. If no users are defined, enter the internal numbers of the value added phones you want to reach and confirm with **[OK]**. If at least one of the selected value added phones is free, you and the people you are talking to hear the acknowledgement tone. You can then talk.

```
Intercom
Please speak
11 13 15
```



If the person you were looking for hears the message and lifts the receiver, he or she alone is connected to you internally. The intercom function is terminated. You can talk as usual.

```
Phone 13
03098765432
11 13
```




To transfer the external call to the located internal user, replace the receiver. The two other parties are connected.

## When you hear an intercom voice message through your phone \_\_\_\_\_

You hear the acknowledgement tone and then an intercom voice message.

```
Intercom from 13
for phone 11
11 13 15 17
```




### If you want to speak to the caller:

Press the "Loudspeaker" key to talk through the loudspeaker in handsfree mode, or use the receiver. You alone are then connected to the caller.

If you are the only person the intercom voice message was directed to, and if you have enabled automatic activation of your handsfree microphone ("set 24"), you can immediately talk to the caller in handsfree mode.

```
from phone 13
-i                               11:52
11 13
```



Press the "Loudspeaker" key if in handsfree mode or replace the receiver. The call is ended.

# Call Hold



You are on an external call (multiple subscriber system).

```
98765432
xi                      11:52
11
```



Press the "ISDN Hold" key. You hear the external dial tone.

```
Please dial
xi                      11:52
11
```



Dial the number of the external subscriber you want to consult.

```
Call to
0234567899
11
```



The caller on hold cannot listen-in. The display shows the phone number to indicate that you are talking to subscriber 2. If the person you are calling does not answer, press **[Stop]** to switch back to the holding subscriber.

```
0234567899
xi                      11:52
11
```



You can use the "ISDN Hold" key to switch between the two external subscribers (brokering).

```
98765432
xi                      11:52
11
```



Pressing **[Stop]** clears the current external call, and you can immediately talk to the caller on hold.

# Malicious Call Identification



You are being pestered by a caller and want the exchange to identify him or her.

```
External
xi                      11:52
11
```



Press the "MCID" key. You hear the acknowledgement tone from the exchange.

```
MCID
```











Replace the receiver.

# Conferencing









## Three-party conference, internal

---

-  You are on an internal call.  
Call the internal user you want to include in the conference, e.g. 17.  

-  Press the "Internal" key and dial the internal number, e.g. 17, Shipping department.  

-  Talk to user 17.  

-  Press the "Conference" key. The conference participants hear the acknowledgement tone.  


## Three-party conference, internal/external

---

-  You are on an external call.  
Call the additional external subscriber or internal user you want to include in the conference.  
Example: Three-party conference - one internal user and two external subscribers.  

-  Seize an outside line and dial the external number.  

-  Talk to the second external subscriber.  

-  Press the "Conference" key. The conference participants hear the acknowledgement tone.  


## ISDN three-party conference

---



You are on an external call (multiple subscriber system) and want to talk to another external subscriber at the same time.

```
98765432
xi
11
11:52
```



Press the "ISDN Hold" key. You hear the external dial tone.

```
Please dial
-i
11
11:52
```



Dial the number of the external subscriber you want to consult.

```
Please dial
0234567899
11
```



When the person you are calling answers you can announce the three-party conference. The caller on hold cannot listen-in.

If the person you are calling does not answer, press **[Stop]** to switch back to the holding subscriber.

```
0234567899
xi
11
11:52
```



If the called party does answer, you can talk to both external subscribers simultaneously after pressing the "Conference" key.

```
Conference
```



Replace the receiver to end the three-party conference.

## Least Cost Routing (LCR)



Press the "LCR" function key to activate or deactivate the LCR function for your phone. Example shows LCR active.

```
LCR
on
```



# Brokering



You are on a call, and have one or two calls on hold.

1st line of display: Active caller's number or name  
2nd line of display: Number or name of next call on hold.  
"External" if no number is identified.

```
03012345678  
Phone 13  
11 13
```



## To switch to the next call:

Press the "Broker" key.  
Keep pressing the "Broker" key as necessary to get to a specific caller.

```
Phone 13  
03012345678  
11 13
```

or

## To view the calls on hold during the active call:

(Not possible in all national variants)



Scroll with "next" .

1st line of display: Number/name of caller or "External"



2nd line of display: Number or name of line.

H: Held call  
cl.: New incoming call  
A: Active call

```
Maier  
H: 23456789  
11 13
```

```
External 2  
cl.: AGFEO 1  
11 13
```

The active call is automatically displayed again after approximately 10 seconds.

```
03012345678  
A: AGFEO 2  
11 13
```



## To switch to the displayed call:

Press the "Broker" key. The displayed call is now active. The previous active call is placed on hold.

```
Maier  
03012345678  
11 13
```

# Storing a Memory Number

## Storing a memory number/name



The receiver is on-hook. You want to store the name and number shown on the display.

```
MAIER
03098765432
```



Press . The name and number are stored in the memory.

```
Features
NO. -> Memory
```




Press again to return to the default display.

## Viewing and dialling a memory number



Press the "Memory" key. The first external phone number in the memory, with the name where logged, is displayed.

```
MAIER
03098765432
< > Scroll
```



Press the "Memory" key or use the arrow keys to select one of the last five external numbers.

```
Call to
03098765432
11
```



Lift the receiver. The selected number is autodialled.

## Importing a memory number/name (example: speed dial programmed)



Press "set" and Speed Dial (private).

```
Speed dial key
-
Enter number
OK Store
```



Press the "Memory" key. The first phone number in the memory is displayed. Scroll through any further numbers. An existing speed dial number is overwritten.

```
Speed dial key
03098765432
< > Scroll
OK Store
```



Store your input. The name belonging to the number is displayed. Overwrite it with a different name as necessary.

```
Speed dial key
MAIER
Enter number
OK Store
```



End programming.

## Notes

The numbers and names, where logged, of the last five incoming or outgoing external

calls are automatically stored in the memory.

# Call by Call



Lift the receiver and press the "Call by Call" key. The pre-set network provider is displayed and selected.

```
MOBILCOM
01019
```



Postdial the local area code and number of the subscriber you are calling or select from the redial or speed dial functions.  
The outside line is automatically seized. When the subscriber answers, conduct your call as usual.

```
MOBILCOM
052123456789
```

# Parking an External Call

## To park an external call



You are on an external call, which you want to park.

```
98765432
x1          11:52
11
```



Park the call.

```
98765432
Call parked
11
```



Replace the receiver. The call is parked for a maximum of 4 minutes. On the display the "x" character assigned to a B-channel flashes. The parked subscriber hears music on hold.

## To resume the external call



Lift the receiver.

```
98765432
x1          11:52
13
```



Resume the call, e.g. on extension 13.



You can conduct your call as usual.

## Notes


To resume the external call:  
- using system phones ST 20, ST 25 please press the key,

- using an ST 30, press a slowly blinking line key to get a parked call (see page 25),
- using analog phones, please dial .

# Room Monitoring

## Setting up room monitoring

---



Call up the "Room monitoring" submenu.



"1": Switch off room monitoring  
"2": Switch on room monitoring

```
Room monitoring
off
OK Switch off      1
> Switch on       2
```



Select whether an acoustic warning is to be delivered before activating room monitoring.

"1": Acoustic warning off  
"2": Acoustic warning on

```
Acoustic warning
off
OK Switch off      1
> Switch on       2
```



End programming.

Example: Room monitoring set up.

```
Room monitoring
Acoustic warning
```

## Room monitoring from an internal extension

---



Lift the receiver.



Call the monitoring phone, e.g. extension 13.

```
Phone 13
-i                               11:52
11 13
```



Listen-in to the room.  
While monitoring remember that you, too, may be heard in the room you are monitoring.

# Operating Relays

## Activating/deactivating a relay

---



Press the "Relay" key.

```
Relay ___  
____
```



Enter the internal phone number of the relay, e.g. 31. The relay is activated or deactivated immediately. If the relay is a pulse relay, the second line of the display remains unchanged.

```
Relay 31  
on
```



Return to default display.

## Activating/deactivating a relay using a special function key

---



Press the "Relay" key to activate or deactivate the relay. If the relay is a pulse relay, the second line of the display remains unchanged.

```
Relay 32  
on
```



Return to default display.

# Inquiry

## Inquiry (consultation) by phone

---



You are on an internal or external call.  
Example shows external call, number  
03012345678.

```
03012345678
xi                      11:52
11
```



### Internal inquiry

Press the **Internal** key and dial the  
internal number, e.g. 13.

```
Call to 13
03012345678
11 13
```



### External inquiry

Press the **"Broker"** key and dial the  
external number, e.g. 9876543.

```
Call to
9876543
11
```



You are talking to the person you have  
consulted. The subscriber on hold  
cannot listen-in.

```
9876543
03012345678
11
```



### To return to the subscriber on hold:

Press . The inquiry call is cleared.

or



Press the **"Broker"** key. The inquiry call  
is placed on hold.

## Room consultation (muting)

---



You are on an internal or external call.  
Example shows external call, number  
03012345678.

```
03012345678
xi                      11:52
11
```



Press the **Internal** key. The call is placed  
on hold. You can talk without the  
telephone caller hearing.

```
Internal call
Phone ___
11
```



Press to resume the telephone call.

# Return Call

## Requesting a return call

---



You call an external subscriber and hear the busy tone.

```
Subscriber busy
OK Request return call
```



Press **OK** to request a return call.

```
Automatic return call
on
```



Replace the receiver.

## Return call

---



As soon as the called user is free your phone rings and your display indicates the return call.

```
05198765432
Automatic return call
```



Lift the receiver. The subscriber is automatically recalled.

```
Call to
Automatic return call
```



The subscriber answers. Conduct your call as usual.  
If the subscriber does not answer, you hang up and are thereby logged in the external subscriber's call list.

# Viewing Status Messages

As soon as you have activated a function on your ST 30 a symbol indicates the fact on the display. You can view the status of the

individual functions one after another on the display.

## Scrolling through displays

---



The receiver is on-hook. The symbols on the display indicate that functions are active.

```
27.May 1999      11:53
--              **?
```



You can scroll to view the active features one after another. Any displayed feature can be deactivated.

```
Active features
< Exit
OK Second Call Busy
> Do-Not-Disturb
```



Press **OK**, and select the feature (e.g. Reject Call Waiting). The active Reject Call Waiting function is displayed.

```
Reject Call Waiting 11
Clear Deactivate
```



Press **Clear** to deactivate Second Call Busy. The inactive Second Call Busy function is displayed.

```
Reject Call Waiting 11
off
```



Scroll to view more features.

```
Active features
< Exit
OK Do-Not-Disturb
> Divert to
```



Return to default display:  
Automatic - after approx. 20 seconds  
Immediate - by "Stop"




# Storing Numbers in the Phonebook



Call up the "Central numbers" main menu.

The phonebook is provided as an alphabetically or numerically sorted register.

You can use the Shift key " -Taste  to change register.

```
Central numbers 5
< Autodial 6
OK Add entry 1
> Edit entry 2
> Clear entry 3
> Emergency numbers 4
> Direct call number 5
> Autodial 6
```

## Storing a phonebook number



Select the "Add entry" submenu. The first free memory slot is displayed, e.g. index 210.

```
Add entry 210
-
Enter number
OK Store
```



Enter external phone numbers excluding the "0" for outside line seizure.



Store your input.


```
Add entry 210
Enter name
OK Store
```



Enter the name - refer to the instructions under "Settings - Entering a subscriber name".



Confirm your input.

 - Store more numbers  
or



End programming.

## Changing a phonebook number



Select the "Edit entry" submenu and confirm.

The phonebook is displayed in numerical order.

```
Enter index
000 ... 299
<> Scroll
```



Switch to alphabetical order.

```
Select entry ___
A ... Z
```



Key in the first letter of the name.  
Example: P.

The first entry beginning with the entered letter is displayed.

```
Select entry P__
< 011i
OK Paul
> Paul D-Netz
```



Select the name using the arrow keys and confirm.

Confirm the number with

or



simply overwrite an old number with a new one or press to clear character-by-character

or press to clear the entire input.

```

Edit entry 118
03096765432_
Enter number
OK Store
  
```



Store your input.

Confirm the name with

or



simply overwrite an old name with a new one or

press to clear character-by-character or

press to clear the entire input.

```

Edit entry 118
Paul_
Enter name
OK Store
  
```

- Store more numbers

or



End programming.

## Clearing a number from the phonebook



Select the "Clear entry" submenu and confirm.

The phonebook is displayed in alphabetical order.

```

Select entry ____
A ... Z
  
```



Key in the first letter of the name.

Example: P.

The first entry beginning with the entered letter is displayed.

```

Clear entry P__
< 011i
OK Paul
> Paul D-Netz
  
```



Select the name using the arrow keys and confirm.



Confirm the deletion or cancel with

```

Clear entry 119
Paul D-Netz
01713456789
OK Clear
  
```

- Clear more numbers

or



End programming.

## Entering an emergency number

---



Select the "Emergency numbers" submenu and confirm.

```
Select emergency number
* or #
```



Select an emergency number key, e.g. [\*].

```
Emergency number 1
```



Enter the emergency number.

```
-
Enter number
OK Store
```



Store your input.

- Enter more emergency numbers  
or



End programming.

## Entering a direct call number

---



Select the "Direct call number" submenu and confirm.

```
Direct call number
```



Enter the direct call number.

```
-
Enter number
OK Store
```



Store your input.

- Continue in the phonebook menu  
or



End programming.

## Entering an autodial number

---



Select the "Autodial" submenu and confirm.

```
Autodial
```



Enter the phone number.

```
-
Enter number
OK Store
```



Store your input.


- Continue in the phonebook menu  
or



End programming.

# Dialling Phonebook Numbers

The phonebook is provided as an alphabetically or numerically sorted register for selection of the stored numbers.

You can use the Shift key  to change register.

## Phonebook (numerical)

---




Open the phonebook.  
You are in the numerical register.



Enter the speed dial number.  
The name and number are displayed.  
or



Use the arrow keys to scroll to the name you are looking for.



Lift the receiver or press the "Loudspeaker" key. An outside line is automatically seized and the displayed phone number is autodialled.

```
Enter index  
000 ... 299
```

```
<> Scroll
```

```
Select entry 117
```

```
0111  
02213456789
```

```
<> Scroll
```

## Phonebook (alphabetical)

---



Open the phonebook.  
You are in the numerical register.




Use the Shift key to switch to the alphabetical register.



Key in the first letter of the name you are looking for, e.g. A. The first entry beginning with the entered letter is displayed.



Use the arrow keys to scroll to the name you are looking for.



Lift the receiver or press the "Loudspeaker" key. An outside line is automatically seized and the displayed phone number is autodialled.

```
Enter index  
000 ... 299
```

```
<> Scroll
```

```
Select entry ____
```

```
A ... Z
```

```
<> Scroll
```

```
Select entry A ____
```

```
< Ziegler Gertrud  
OK AGFEO  
> Anton
```

## Redialling a phonebook entry

---



Open the phonebook. You are in the last register used (numerical or alphabetical).  
Use the Shift key to change register as necessary.

```
Select entry ____  
A ... Z  
< > Scroll
```



Press the "Redial" key.  
The last entry dialled - or merely displayed - in this register is redisplayed.

```
Select entry ____  
0111  
022134567879  
< > Scroll
```



o.



Lift the receiver or press the "Loudspeaker" key. An outside line is automatically seized and the displayed phone number is autodialled.

# Telephone Lock - Emergency Call / Direct Call (Baby Call)


## Locking/unlocking the telephone



The receiver is on-hook. Press the "Telephone Lock" key to lock or unlock the telephone.  
If the display prompts you for the phone code when you try to unlock, enter the code number.

```
17.May 1999      11:52
---
```

## Locking/unlocking the telephone without using a function key



Open the "Telephone lock" submenu.  
If the display prompts you for the phone code when you try to unlock, enter the code number.

```
Lock phone
off
OK Switch on      2
> Switch off      1
```



"1": Off - Unlock telephone  
"2": On - Lock telephone  
Example shows "2" - Unlock telephone.  
The display shows "2".

```
17.May 1999      11:52
---
```

## Emergency call




The telephone is locked. The receiver is on-hook. The emergency numbers are stored.

```
Emergency call /
Baby call
* or #
```



Select emergency key \* or #.  
Example shows "2".  
The emergency number is displayed.

```
Emergency call 1
1234567
```



Lift the receiver or press the "Loudspeaker" key for handsfree operation. The number is autodialled.

## Direct call (Baby call)



The telephone is locked. Lift the receiver. The direct number is stored.

```
Baby call
```




Pressing any key autodialls the stored direct call number. You can conduct your call as usual.

```
Baby call
2345678
```

# Appointment Call - One-off Appointment

## Programming and controlling an appointment call



Start the function by pressing "set" and the "Appointment" key or .

```
Appointment time ?
_:_:___
OK Store
```



Key in the 4-digit time and confirm. Clear any existing entry by pressing or simply overwrite it.



Enter the 6-digit date.

```
Appointment date
_._:_._.
OK Store
```



Store your input. The appointment call is activated. As a check the clock symbol is indicated on the default display.

## Deactivating an appointment call



Press the "Appointment" key. The appointment call is deactivated.

```
13:15  21.06.99
Appointment off
```



The clock symbol has disappeared from the default display.

To deactivate without using the "Appointment" key: , clear time by pressing then .

## Activating an appointment call



Press the "Appointment" key. The appointment call is activated.

```
13:15  21.06.99
Appointment on
```



Return to the default display. As a check the clock symbol is indicated on the display.

## Acknowledging an appointment call

The appointment reminder sounds at the pre-set time. Your display indicates "Appointment".

```
Appointment
-----
```



Acknowledge the appointment call. The displays relating to the appointment have disappeared.

# Activating/Deactivating Timers



Press the "Timer" key to control the programmed timer in the system.



"1": Activate/deactivate timer. The timer function is switched at the programmed times.  
 "2": Activate or deactivate timer function immediately regardless of programmed times.

```

Timer 3
Timer off, Function off
OK Timer on      1
> Function on    2
    
```



Return to default display.

# Door Call Diversion to an External Subscriber



Start the function by pressing "set" and the "Divert to" key or .

```

Divert to
Destination ___
    
```



Key in the internal number of the door from which you want to divert the door call to an external destination, e.g. 20.

```

Divert 20 to
OK Internal number  1
> External number  2
    
```



Diversion to "external number".

```

Divert 20 to
-
Enter number
OK Store
    
```



Enter the external diversion destination number and confirm.

```

Divert 20 to
< Unanswered      3
OK All            1
> Busy            2
    
```



Set diversion of "all" calls. A door call is initiated immediately.

```

Divert 20 to
on
OK Switch on      2
> Switch off      1
    
```



"1": Deactivate diversion  
 "2": Activate diversion



End programming.



# Operating Door Phone Unit and Door Opener



The receiver is on-hook. You hear the door bell on your telephone.

```
Door 1 Bell 2
```



Lift the receiver. You are connected to the door intercom and can talk to the visitor.



```
Door intercom
```



To open the door press the "Door" or "Door Opener" key.  
The door opener is activated for 3 seconds.  
The display shown here appears as an indicator and you hear the acknowledgement tone.

```
Door opener  
on
```

## Calling the door phone unit / Picking up a door call



Lift the receiver. Press the "Door" key (e.g. "Door 1"). You hear the acknowledgement tone. You are connected to the door intercom and can talk to the visitor.

```
Door intercom
```



Replace the receiver.  
The procedure is ended.

## Line Identification




### Activating/deactivating Calling/Connected Line Identification (CLIP/COLP) using a function key



Press the "Incognito" key to activate or deactivate display of your phone number to the person you are calling. Example shows CLIP active.

```
Number->CLIP  
on
```

## Activating/deactivating Calling Line Identification Presentation (CLIP) —

   Call up the „Number—>CLIP“ submenu.






“1”: Switch off CLIP  
“2”: Switch on CLIP

```
Number—>CLIP
off
OK Switch off      1
> Switch on       2
```



End programming.

## Activating/deactivating Connected Line Identification (COLP) —

   Call up the „Number—>COLP“ submenu.



“1”: Switch off COLP  
“2”: Switch on COLP




```
Number—>COLP
off
OK Switch off      1
> Switch on       2
```



End programming.

## Divert From - Diverting Calls from Other Telephones



Start the function by pressing “set” and the “Divert from” key or   .



Enter the internal phone number whose calls you want to divert to your phone, e.g. 13.

```
Divert from
Diverting number ____
```



“1”: Deactivate Divert From  
“2”: Activate Divert From

```
Divert 13
OK Switch on      2
> Switch off      1
```



End programming.  
All calls for extension 13 now ring on your phone.

# Divert To - Diverting Calls to Another Telephone

## Diversion by the system

### Programming and controlling Divert To

---



Start the function by pressing "set" and the "Divert to" key or .

```
Divert to
Destination ____
```



Enter the internal phone number whose calls you want to divert to another internal or external user, e.g. 13.

```
Divert 13 to
OK Internal number 1
> External number 2
```



"1": Divert to internal user  
"2": Divert to external subscriber

```
Divert 13 to
-
Enter number
OK Store
```



Enter the external phone number of the diversion destination and confirm.

```
Divert 13 to
< Unanswered 3
OK All 1
> Busy 2
```



Set the diversion criterion.  
"1": Divert all calls  
"2": Divert when busy  
"3": Divert when unanswered  
(after 15 seconds)

```
Divert 13 to
OK Switch on 2
> Switch off 1
```



"1": Deactivate Divert To  
"2": Activate Divert To



End programming.

## Programming and controlling Divert To

---



Start the function by pressing the "Divert to" key. The current status of a programmed diversion is displayed.

```
13 All calls to  
Phone 14  
  
OK Switch
```



Select the next diversion as necessary.



Switch the selected diversion (on/off).



Activate/deactivate the diversion of the second internal number or another diversion as necessary.



Return to default display.

## Diversion by ISDN Exchange (Call Forwarding)



Start programming the destination for Call Forwarding by pressing "set" and the "ISDN Call Forwarding" key or .

```
ISDN CF Position 1
No entry
OK Store
```



Select a blank entry to program the Call Forwarding or overwrite an existing entry as appropriate.



Select the external phone/number of your ISDN connection for which you want to program Call Forwarding, and confirm.

```
ISDN Call Forwarding
< Private
OK 23456781
> Office
```



Enter the external destination number (excluding the "0" for outside line seizure) and confirm.

```
ISDN Call Forwarding
-
Enter number
OK Store
```



Select the Call Forwarding variant:  
 "1": Deflect all calls  
 "2": Deflect when busy  
 "3": Deflect when unanswered (after 15 seconds)

```
ISDN Call Forwarding
< Unanswered 3
OK All 1
> Busy 2
```



- Program more call forwarding or end programming.

You can activate Call Forwarding by pressing the "ISDN Call Forwarding" key.

## Programming Call Forwarding

---



Press the "ISDN Call Forwarding" key. The display indicates for which external phone number in your system call forwarding is active (on) or inactive (off), to which phone number, and the forwarding variant.

```
23456781      Busy
87654321
< > Scroll
OK Store
```



You can scroll to view more call forwarding settings. In the example call forwarding is deactivated for the external phone number labelled Private.

```
Private      All
98765432
< > Scroll
OK Store
```



Press **OK** to activate the displayed call forwarding ("on").

```
Activation
sent
```

You deactivate an active call forwarding in the same way. Wait for the acknowledgement from the ISDN exchange to appear on the display. It may take up to 60 seconds to appear.

```
Deactivation
sent
```



Press **Stop** to return to the default display. The symbol „\*“ appears on the display to indicate that call forwarding is active.

# Call charges



Call up the „Call-charges“ main menu.

Charges menu	7
< Stop recording	5
OK Own charges	1
> All charges	2
Print charges	3
Start recording	4

## Call charges - Displaying the last connection/total



Select the „Own charges“ (→ 7 1). The call charges for your last call are displayed. If a charge limit is entered, the available balance remaining is displayed  
or  
if no charge limit is set, the sum total of current call charges is displayed.

Last call	0,12DM
Total	123,28DM
Limit	11,72DM



Stop - Continue in the Charges menu or end programming.

## Call charges - Displaying and deleting all charges



Select the „All charges“ submenu (→ 7 2). If the display prompts you for the phone code, enter it in 4-digit format.

Charges of int.no. 11	123,28 DM
< > Scroll	



Enter the internal phone number directly

Charges of int.no. 23	9,72DM
< > Scroll	




or scroll to view the call charges of the relevant user.



Clear the displayed call charges.

Charges of int.no. 23	cleared
< > Scroll	



Scroll on to view and/or clear more call charges as necessary.



Scroll, for example to charges recorded under an external phone number (the external number or name is displayed),

```
ext. 23456782
                                7,20DM
< > Scroll
```



or  
Charges of a SO line

```
Charges of line S01
                                223,00DM
< > Scroll
```



or all charges (all records)

```
All records
                                380,44DM
< > Scroll
```



**[Stop]** - Continue in the Charges menu or end programming.

## Call charges - Printing certain total connection costs



Select the „Print charges“ submenu (**[→]****[7]****[3]**). If the display prompts you for the phone code, enter it in 4-digit format.

```
Print charges
< > Scroll
OK Store
```



Confirm if you want a printout of all call charge totals (of all users, numbers, SO lines)

```
All charges
OK Print
```



or  
scroll to print specific call charges.  
Sequence: Users, External phone numbers, SO lines, All records  
Follow the procedure detailed under “Viewing and clearing call charges” .

Example:

```
Print charges of line
S01
OK Print
```

Confirm your selection.



**[Stop]** - Continue in the Charges menu or end programming.



## Starting charge recording

---



Select the „Start recording“ submenu (→) (7) (4). If the display prompts you for the phone code, enter it in 4-digit format.

```
Start recording
Select internal number
< > Scroll
```



Enter the internal phone number of the user whose charges you want to record directly

```
Start recording int.no.
13 ?
< > Scroll
OK Store
```



or scroll to the relevant user.



Confirm. The user can now make calls with unrestricted outside line access.

```
Recording int.no. 13
started
OK set Stop
```



- Continue in the Charges menu or end programming.

## Stopping charge recording

---



Select the „Stop recording“ submenu (→) (7) (5). If the display prompts you for the phone code, enter it in 4-digit format.

```
Stop recording
Select internal number
< > Scroll
```



Enter the internal phone number of the user whose charge you want to stop recording directly

```
Stop recording int.no.
13 ?
< > Scroll
OK Store
```



or scroll to the relevant user.



Confirm. The total call charges are printed out. The user's outside line access is set to "incoming calls only".

```
Recording int.no. 13
stopped
OK set Stop
```



- Continue in the Charges menu or end programming.

# Viewing Your Own Call Charges

On your value added phone you can view your own call charges provided you have ordered the "advice of charge during and at

end of call" feature from your network provider.

## Viewing call charges during a call



You are on an external call.

```
0309876543
xi                14:28
11
```

Advice of charge on your value added phone is active

( **2** **8** **1**), with no charge limit

In the course of an external call the current call charges are indicated on the first line of the display for a maximum of 5 seconds after each metering pulse. Otherwise the external phone number is displayed. By pressing the "Units" key you can view your current call charges at any time for a maximum of 5 seconds.

```
0,48DM
xi                14:28
11
```



At the end of the call the charges of the last call are displayed for 20 seconds. Then the time is displayed.

```
Cost of call
Total                0,48DM
                    123,28DM
```

If no call charges are advised, the call duration is displayed.

```
Cost of call
Total                0:00:35 Std
                    123,28DM
```

Advice of charge on your value added phone is active

( **2** **8** **1**), with a charge limit

In the course of an external call the current call charge limit is indicated on the first line of the display for a maximum of 5 seconds after each metering pulse. Otherwise the external phone number is displayed. By pressing the "Units" key you can view your current call charge limit at any time for a maximum of 5 seconds.

```
Limit                11,84DM
xi                14:28
11
```



At the end of the call the remaining balance is displayed for 20 seconds. Then the time is displayed.

```
Cost of call
Total                0,12DM
                    123,28DM
Limit                11,72DM
```

## Call charges - Viewing the charges for the last call/total charges



The receiver is on-hook. Press the "Units" key or . Your call charges are displayed.

Cost of call	
Total	0,12DM
Limit	123,28DM
	11,72DM



Exit the display.

## Redial

### Extended redial



The receiver is on-hook. Press the "Redial" key. The last dialled external phone number is displayed.

Redial	
	98765432



Press the "Redial" key or use the arrow keys to select one of the last five external numbers dialled.

AGFEO	
	0306179300



Lift the receiver. The displayed external number is dialled.

### Automatic redial



You can dial any external phone number shown on the display while your receiver is on-hook.

AGFEO	
	0306179300




Press to initiate an automatic redial. The display indicates how many times the system attempts to connect to the called subscriber. Any activity on your telephone aborts the automatic redial.

Automatic redial	10
	0306179300

When the connection is made the loudspeaker is activated. The called party answers.

Subscriber answered	
	0306179300



Lift the receiver or press the "Loudspeaker" key, otherwise the connection will be cut after 10 seconds.

# Alarm Call - Recurring Appointment

## Storing an alarm call

---



Press "set" and the "Alarm Call" key or set to start alarm call programming.

```
Alarm call time ?
--:--
OK Store
```



Key in the 4-digit time and confirm. Clear any existing entry by pressing or simply overwrite it.

```
Alarm call  08:50
off
OK Switch off      1
> Switch on       2
```



"2": Activate alarm call. As a check a bell symbol is indicated on the display.

or

"1": Deactivate alarm call. You can reactivate the alarm call later by pressing the "Alarm Call" key. The entered time remains stored.



End programming.

## Activating/deactivating an alarm call

---



Press the "Alarm Call" key to activate/deactivate the alarm call function. Example shows alarm call active.

```
08:50
Alarm call on
```



Return to default display. As a check a bell symbol is indicated on the display.

## Acknowledging an alarm call

---



The alarm call reminder sounds at the pre-set time. It rings for a maximum of 1 minute, its volume increasing as it does so.

```
Alarm call
---
```



To deactivate the display text and the alarm call:



Acknowledge the alarm call. The next alarm is delivered at the same time the next day.


# Storing and Dialling Speed Dial Numbers

## Storing a phone number on a "public speed dial" key



Press "set" and the desired "public speed dial" key. For the second level, first press Y then the speed dial key.

```
Select entry ____
A ... Z
```



Locate the phone number you want from the phonebook (see "Phonebook - Dialling a number").

```
Select entry
< Ziegler Gertrud
OK AGFED
> Anton
```




Confirm your selection.



End programming.


## Storing a phone number on a "private speed dial" key



Press "set" and the desired "private speed dial" key. For the second level, first press  then the speed dial key.

```
Speed dial key
_
Enter number
OK Store
```



Enter the number (by way of the keypad, memory or redial function) and confirm. Clear any existing entry by pressing  or simply overwrite it.

```
Speed dial key
_
Enter name
OK Store
```



Enter the name - refer to the instructions under "Settings - Entering a subscriber name" - and confirm.



End programming.




## Dialling a number by a speed dial key



Lift the receiver and press the speed dial key. The stored phone number is displayed and dialled. The outside line is automatically seized. When the called party answers, you can conduct your call as usual.






```
AGFED
0306179300
```

# Protecting the Functions of the Telecommunications System against Unauthorised Use (Code Numbers)



   Call up the „Codes“ submenu

```
Codes          9*
< Switchbox code  3
OK Setup code    1
> Charge code     2
```




## Setup code



 Select the „setup code“ submenu (   ) to protect access to the system setup.

```
Setup code
off
OK Switch off    1
> Switch on     2
```










 "2": Activate setup code (as in example)  
 "1": Deactivate setup code  
 Clear any existing setup code displayed by pressing . The setup code 2580 (default) is displayed.

```
Setup code
2580
OK Store
```



  Press  to confirm or enter a new four-digit setup code and confirm.



  - Continue in the Codes menu or end programming.



## Charge code

   Select the „Charge code“ submenu (   ) to protect access to the functions under  .

```
Charge code
-----
OK Store
```

Clear any existing charge code displayed by pressing  and confirm with 

  or enter a new four-digit charge code and confirm.

  - Continue in the Codes menu or end programming.

## Switchbox code

---



Select the „switchbox code“ submenu (→ 9 \* 3). The switchbox code protects access to the telecommunications system's switchbox. Without this code the switchbox is inactive.

```
Switchbox code
```

```
-----
```

```
OK Store
```

Clear any existing switchbox code displayed by pressing and confirm with




or enter a new four-digit switchbox code and confirm.



- Continue in the Codes menu or end programming.

## Service / Test



Select the „Service/Test“ If the display prompts you for the setup code when you press 9, enter it in 4-digit format.

```
Service/Test          9#
< ST 30 digital       3
OK Version number     1
> Country variant     2
  Service number      3
  System restart      4
  Erase memory        5
  ST 30 digital       6
```

## Version number

---



Select the „Version number“ submenu (→ 9 1). Information displayed: System type, software version number, primary and secondary internal phone numbers.

```
AS 40  U 2.2
Primary number  11
Secondary number 21
```



- Continue in the Service/Test menu or end programming.

## Country variant

---



Select the „Country variant“ submenu (→ 9 2).

```
Country
Germany
```



- Continue in the Service/Test menu or end programming.

## Service number

---



Select the „Service number“ submenu (→) 9 ▣ 3).

```
Service number
-
Enter number
OK Store
```



Enter the service number from which “Remote setup/Remote configuration” of the telecommunications system is to be enabled when activated by you (→) (\*).



[Stop] - Continue in the Service/Test menu or end programming.

## System restart

---



Select the „System restart“ submenu (→) 9 ▣ 4).

```
System restart
OK Confirm
```



Perform a system restart (reset). All connections are cut and programming is aborted.  
or



[Stop] - Continue in the Service/Test menu or end programming.

## Erase memory (default condition)

---



Select the „Erase memory“ submenu (→) 9 ▣ 5).

```
Erase memory
OK Confirm
```



Erase the memory. This takes about 2 minutes. All connections are cut and programming is aborted. The system is reset to its default condition.  
or

```
Erase memory
Please wait.
```



[Stop] - Continue in the Service/Test menu or end programming.

## ST 30 digital

---

For instructions on operation see “Registering the internal number of the telephone” under “Commissioning”.



# Remote Setup/Remote Configuration

## Enabling remote servicing

---



Select the "Remote service" main menu.

```
Remote service number
-
Enter number
OK Store
```



Enter the remote servicing number (programming access phone number).



Confirm with **OK**.

```
Remote service
030123456789
OK Without phonebook 1
> With phonebook 2
```



Choose whether remote servicing is to be enabled.  
"1": Without access to the central phonebook  
"2": Complete with access to the central phonebook.



End programming. Remote servicing is permitted for 8 hours.

# Menu Tree

→ 1

Leistungsmerkmale	1
< Busy on Busy	#
OK Call Variant	2
> Do-Not-Disturb	2
Telephone lock	3
Second Call Busy	4
Enter appointment	5
Enter alarm time	6
Divert to	7
Divert from	8
Call forwarding	9
Room monitoring	0
Autodial	*
Busy on Busy	#

- Night service on/off
- Internal/external, on/off
- On/off
- On/off
- Time, date, on/off
- Time, on/off
- Internal user/External subscriber, on/off
- Internal user, on/off
- Internal Call Forwarding, on/off
- On/off
- On/off
- External number, on/off

→ 2

Phone setup	2
< Direct outward dial	#
OK Ringer volume	1
> Ring tone	2
Display contrast	3
Automatic mike	4
Loudspeaker volume	5
Headset volume	6
Phone code	7
Charge display	8
Status display	9
Language	0
Call list	*
Direct outward dial	#

- Set
- Set
- Set
- Activate/deactivate
- Set
- Set
- Enter to lock your telephone
- Activate/deactivate
- Activate/deactivate
- Display texts (German/English/...)
- On/off/With name only
- Automatic line seizure, on/off

→ 3

Keys/Internal names	3
OK Function keys	1
> User names	2

- Change key assignment
- Enter

→ 4

Speed dial keys	4
-----------------	---

- Numbers/names

→ 5

Central numbers	5
< Autodial	6
OK Add entry	1
> Edit entry	2
Clear entry	3
Emergency numbers	4
Direct call number	5
Autodial	6

- Phonebook number/name
- Phonebook number/name
- Clear
- Enter
- Enter
- Enter number

→ 7

Charges menu	7
< Stop recording	5
OK Own charges	1
> All charges	2
Print charges	3
Start recording	4
Stop recording	5

- Display
- Users/Ext./SO/All records
- Users/Ext./SO/All records
- Start for user
- Stop for user

→ 8

ISDN features	8
< Number->COLP	3
OK ISDN-CF	1
> Number->CLIP	2
Number->COLP	3

- Ext.no./All/Busy/Unanswered
- On/off
- On/off

→ 9

Phone system	9
OK Codes	*
> Service/Test	#

→ 9 \*

Codes	9*
< Switchbox code	3
OK Setup code	1
> Charge code	2
Switchbox code	3

- Enter
- Enter
- Enter

→ 9 □

Service/Test	9#
< ST 30 digital	8
OK Version number	1
> Country variant	2
Service number	3
System restart	4
Erase memory	5
ST 30 digital	6

- Display
- Display
- Enter number
- Reset
- Default condition
- Logon

→ \*

Remote service number	-
OK Store	
OK Without phonebook	1
> With phonebook	2


- Enter number
- Enable
- Enable

→ □

AS40 U 3.0	
Primary number 11	
Secondary number 21	

- System type/software version
- Primary internal phone number
- Secondary internal phone number

# ISDN connecting cable ST 30 - Terminal assignment



This appliance conforms to the following EU Directives:  
73/23/EEC, Low voltage equipment  
89/336/EEC, Electromagnetic compatibility  
The telephone bears the CE mark accordingly.

Ident no. 534 714  
Subject to change without notice. No liability  
can be accepted for errors contained in this  
document.  
Printed in Germany  
0005

AGFEO GmbH & Co. KG  
Gaswerkstr.8  
D-33647 Bielefeld  
Internet: [www.agfeo.de](http://www.agfeo.de)